## **EAST Search History**

## **EAST Search History (Prior Art)**

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
<b>S</b> 8	87	(@ad<"20030710" or @pd<"20030710") and (380/260.ccls. or 713/171. ccls.) and ((key or secret) with generat\$) same client same server same encrypt\$	US- PGPUB; USPAT	ADJ	ON	2010/05/14 17:20
<b>S9</b>	42	(@ad<"20030710" or @pd<"20030710") and (380/260.ccls. or 713/171. ccls.) and ((key or secret) with generat\$) same client same server same encrypt\$ and (share\$ with (key or secret))	US- PGPUB; USPAT	ADJ	ON	2010/05/17 09:20
S10	41	(@ad<"20030710" or @pd<"20030710") and (380/260.ccls. or 713/171. ccls.) and ((key or secret) with generat\$) same client same server same encrypt\$ and (key near (exchange or agreement))	US- PGPUB; USPAT	ADJ	ON	2010/05/17 09:59
S11	2	(@ad<"20030710" or @pd<"20030710") and (380/260.ccls. or 713/171. ccls.) and ((key or secret) with (updat\$ or replac\$)) same client same server same encrypt\$ and (key near (exchange or agreement)) and ((previous or old) same (key or secret))	US- PGPUB; USPAT	ADJ	ON	2010/05/24 13:04
S12	3	(@ad<"20030710" or @pd<"20030710") and (380/260.ccls. or 713/171. ccls.) and (((key or secret) with (updat\$ or replac\$)) same token) and (authentication code or mac)	US- PGPUB; USPAT	ADJ	ON	2010/05/26 09:25

S16	25	S15 and (@ad<"20030710" or @pd<"20030710") and (encrypt\$ with (symmetric or shared or secret))	US- PGPUB; USPAT; USOCR	ADJ	ON	2010/05/26 13:39
S15	93	("5226079"   "5373559"   "5491752"   "5717756"). PN. OR ("5784463").URPN.	US- PGPUB; USPAT; USOCR	ADJ	ON	2010/05/26 13:39
L2	62	L1 and (@ad<"20030710" or @pd<"20030710") and (algorithm or protocol)	US- PGPUB; USPAT; USOCR	ADJ	ON	2010/05/28 11:02
L1	93	("5226079"   "5373559"   "5491752"   "5717756"). PN. OR ("5784463").URPN.	US- PGPUB; USPAT; USOCR	ADJ	ON	2010/05/28 11:02
L3	5	L1 and (@ad<"20030710" or @pd<"20030710") and (client same (instruct\$ or indicat\$3) same (algorithm or protocol))	US- PGPUB; USPAT; USOCR	ADJ	ON	2010/05/28 11:03
L4	31	(380/260.ccls. or 713/171. ccls.) and ((key or secret) with (generat\$ or agreement)) and (@ad<"20030710" or @pd<"20030710") and (client same (instruct\$ or indicat\$3) same (algorithm or protocol))	US- PGPUB; USPAT; USOCR	ADJ	ON	2010/05/28 11:05
L5	390	(380/260.ccls. or 713/171. ccls.) and ((key or secret) with (generat\$3 or agreement)) and (@ad<"20030710" or @pd<"20030710") and ((store or stor\$3) with (instruct\$ or authenticat\$ or code or MAC))	US- PGPUB; USPAT; USOCR	ADJ	ON	2010/05/28 11:17
L6	253	(380/260.ccls. or 713/171. ccls.) and ((key or secret) with (generat\$3 or agreement)) and (@ad<"20030710" or @pd<"20030710") and ((key or secret or seed) with (store or stor\$3) with (instruct\$ or authenticat\$ or code or MAC))	US- PGPUB; USPAT; USOCR	ADJ	ON	2010/05/28 11:20

L8	632	(380/260,283-285.ccls. or 713/171.ccls.) and ((key or secret) with (generat\$3 or agreement)) and (@ad<"20030710" or @pd<"20030710") and ((key or secret or seed) with (concat\$ or successive \$ or block or AES or hash \$))	US- PGPUB; USPAT; USOCR	ADJ	ON	2010/05/28 13:17
L9	45	(380/260,283-285.ccls. or 713/171.ccls.) and ((key or secret) with (generat\$3 or agreement)) and ((@ad<"20030710" or @pd<"20030710") and ((key or secret or seed) with (AES or advanced encryption standard))	US- PGPUB; USPAT; USOCR	ADJ	ON	2010/05/28 13:24
L11	118	(380/260,283-285.ccls. or 713/171.ccls.) and ((key or secret) with (generat\$3 or agreement)) and (@ad<"20030710" or @pd<"20030710") and ((key or secret or seed) with concatenat\$3)	US- PGPUB; USPAT; USOCR	ADJ	ON	2010/05/28 14:18
L12	1	"6330674".pn. and (encrypt \$ or symmetric)	US- PGPUB; USPAT; USOCR	ADJ	ON	2010/05/28 14:28
L14	227	(380/260,283-285.ccls. or 713/171.ccls.) and (((key or secret) with (generat\$3 or agreement)) same ((key or secret or seed) with hash \$)) and (@ad<"20030710" or @pd<"20030710")	US- PGPUB; USPAT; USOCR	ADJ	ON	2010/05/28 14:55
L13	63	(380/260,283-285.ccls. or 713/171.ccls.) and (((key or secret) with (generat\$3 or agreement)) same ((key or secret or seed) with concatenat\$3)) and (@ad<"20030710" or @pd<"20030710")	US- PGPUB; USPAT; USOCR	ADJ	ON	2010/05/28 14:55

L20	270	(380/260,283-285.ccls. or 713/171.ccls.) and (((key or secret) with (generat\$3 or agreement or exchange)) same ((symmetric or shared) with encrypt\$)) and (@ad<"20030710" or @pd<"20030710")	US- PGPUB; USPAT; USOCR	ADJ	ON	2010/05/28 15:18
L21	30	(380/260,283-285.ccls. or 713/171.ccls.) and (((key or secret) with (generat\$3 or agreement or exchange)) same (aes or advanced encryption standard)) and (@ad<"20030710" or @pd<"20030710")	US- PGPUB; USPAT; USOCR	ADJ	ON	2010/05/28 15:34
L23	82	(380/260,283-285.ccls. or 713/171.ccls.) and ((key or secret) with (generat\$3 or agreement or exchange)) and ("aes" or advanced encryption standard) and (@ad<"20030710" or @pd<"20030710")	US- PGPUB; USPAT; USOCR	ADJ	ON	2010/05/28 15:45
L24	1	"6052784".pn.	US- PGPUB; USPAT; USOCR	ADJ	ON	2010/05/28 16:46

## 5/28/2010 5:10:49 PM

C:\ Documents and Settings\ vho\ Desktop\ east searches\ 10549542 - secure seed gen\_. wsp